



General Data

Spread Width		Certificate No.	
Spreader	24.0 m	Date Tested	318305
Disc/Vane/Type	Amazone ZA-V	Rate Setting	12/3/2022
Spread Setting	V Set 3	Forward Speed	150 Kg/Ha
Border Setting	11/46	Wind	12 Km/h
PTO/Disc Speed	N/A	Crop/Ground/Cover	25 Km/h from behind machine
Height	Disc Speed (RPM) 720	Tilt	Grass

Product Data

80cm from side of disc		0.0	Grader Box				
Fertiliser Density (Kg/L)	Pyramid Prilled 34.4%N Batch No.						
Strength (Kg/Force)	0.97	N/A					
	1.5	2		2.5	2	1.5	Av.
Lumping in Bag	2	3		2.5	2	2	2.1
	Residue on Vanes						

Information

No No


This report is only applicable to the combination of machine, test conditions and products tested on the day. Any variations from these may result in inconsistent applications.

Test Data

Coefficient of Variation measures the accuracy of the spread Pattern. For fertilisers a CV of 15% (as recommended in EB13739-2) should be attainable in field conditions. <10% Excellent, 10%-15% Good, 15%-20% Poor, >20% Unacceptable.

The CV attained on the first run was 6.71%.

There is no Pass/Fail for NSTS requirements.



Comments

Final spread pattern successful.
There was 7m of measurable overlap beyond the spreadwidth.

Spreader & Sprayer Testing Ltd
Rookery Farm, Wheaton Aston, Stafford,
Staffordshire, ST19 9QF
01785 840849
info@spreadcheck.com
www.spreadcheck.com

© Copyright SCS
Spreader & Sprayer Testing Ltd